

ANALYTICAL REPORT

PREPARED FOR

Watersavers Turf
4316 Redwood Hwy, Ste 100
San Rafael, CA 94903

Generated 11/3/2023 9:15:13 AM Revision 1

JOB DESCRIPTION

Legacy Putt

JOB NUMBER

410-126654-1

Eurofins Lancaster Laboratories Environment Testing, LLC

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Authorized for release by
Nicole Brown, Project Manager
Nicole.Brown@et.eurofinsus.com
(717)471-3265

Generated
11/3/2023 9:15:13 AM
Revision 1

Compliance Statement

Analytical test results meet all requirements of the associated regulatory program (e.g., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis. Data qualifiers are applied to note exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- QC results that exceed the upper limits and are associated with non-detect samples are qualified but further narration is not required since the bias is high and does not change a non-detect result. Further narration is also not required with QC blank detection when the associated sample concentration is non-detect or more than ten times the level in the blank.
- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD is performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Measurement uncertainty values, as applicable, are available upon request.

Test results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" and tested in the laboratory are not performed within 15 minutes of collection.

This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied, except as otherwise agreed. We disclaim any other warranties, expressed or implied, including a warranty of fitness for particular purpose and warranty of merchantability. In no event shall Eurofins Lancaster Laboratories Environmental, LLC be liable for indirect, special, consequential, or incidental damages including, but not limited to, damages for loss of profit or goodwill regardless of (A) the negligence (either sole or concurrent) of Eurofins Lancaster Laboratories Environmental and (B) whether Eurofins Lancaster Laboratories Environmental has been informed of the possibility of such damages. We accept no legal responsibility for the purposes for which the client uses the test results. Except as otherwise agreed, no purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.



Table of Contents

| | |
|------------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 4 |
| Definitions/Glossary | 5 |
| Case Narrative | 6 |
| Detection Summary | 7 |
| Client Sample Results | 8 |
| Isotope Dilution Summary | 11 |
| QC Sample Results | 12 |
| QC Association Summary | 23 |
| Lab Chronicle | 26 |
| Certification Summary | 27 |
| Method Summary | 29 |
| Sample Summary | 30 |
| Chain of Custody | 31 |
| Receipt Checklists | 32 |

Definitions/Glossary

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Qualifiers

| LCMS | |
|-----------|--|
| Qualifier | Qualifier Description |
| cn | Refer to Case Narrative for further detail |
| Metals | |
| Qualifier | Qualifier Description |
| ^2 | Calibration Blank (ICB and/or CCB) is outside acceptance limits. |
| B | Compound was found in the blank and sample. |
| cn | Refer to Case Narrative for further detail |
| H | Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| ¤ | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Case Narrative

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Job ID: 410-126654-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

Narrative

Job Narrative 410-126654-1

REVISION

The report being provided is a revision of the original report sent on 6/30/2023. The report (revision 1) is being revised due to the client request to change the sample ID and job description to Artificial Grass Product.

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 5/15/2023 11:20 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice.

PFAS

Method CIC_Fluorine: Reporting limits were raised for the following sample due to interference from the sample matrix. Artificial Grass Product (410-126654-1)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 7471B: The following sample was analyzed outside of analytical holding time due to analysis requested after the hold time had expired: Artificial Grass Product (410-126654-1).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Client Sample ID: Artificial Grass Product

Lab Sample ID: 410-126654-1

| Analyte | Result | Qualifier | RL | MDL | Unit | Dil Fac | D | Method | Prep Type |
|---------------------|--------|-----------|-------|--------|-------|---------|---|--------------|-----------|
| Total Fluorine (TF) | 95000 | cn | 410 | 250 | ng/g | 1 | | ELLE SOP | Total/NA |
| Barium | 1.7 | | 0.40 | 0.18 | mg/Kg | 2 | | 6020B | Total/NA |
| Chromium | 0.50 | | 0.32 | 0.12 | mg/Kg | 2 | | 6020B | Total/NA |
| Cobalt | 0.45 | | 0.20 | 0.058 | mg/Kg | 2 | | 6020B | Total/NA |
| Copper | 0.72 | | 0.40 | 0.087 | mg/Kg | 2 | | 6020B | Total/NA |
| Lead | 0.11 | J | 0.20 | 0.075 | mg/Kg | 2 | | 6020B | Total/NA |
| Molybdenum | 0.41 | | 0.20 | 0.091 | mg/Kg | 2 | | 6020B | Total/NA |
| Nickel | 6.9 | B ^2 | 0.40 | 0.16 | mg/Kg | 2 | | 6020B | Total/NA |
| Vanadium | 0.29 | J | 0.79 | 0.20 | mg/Kg | 2 | | 6020B | Total/NA |
| Zinc | 330 | | 150 | 20 | mg/Kg | 10 | | 6020B | Total/NA |
| Barium | 0.12 | B | 0.050 | 0.019 | mg/L | 1 | | STLC Citrate | 9 |
| Chromium | 0.018 | J | 0.050 | 0.0084 | mg/L | 1 | | STLC Citrate | 10 |
| Cobalt | 0.025 | B | 0.013 | 0.0039 | mg/L | 1 | | STLC Citrate | 11 |
| Copper | 0.012 | J | 0.025 | 0.0091 | mg/L | 1 | | STLC Citrate | 12 |
| Lead | 0.0079 | J | 0.013 | 0.0018 | mg/L | 1 | | STLC Citrate | 13 |
| Molybdenum | 0.022 | | 0.013 | 0.0033 | mg/L | 1 | | STLC Citrate | 14 |
| Nickel | 0.010 | J | 0.025 | 0.010 | mg/L | 1 | | STLC Citrate | 15 |

This Detection Summary does not include radiochemical test results.

Eurofins Lancaster Laboratories Environment Testing, LLC

Client Sample Results

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Client Sample ID: Artificial Grass Product
Date Collected: 05/11/23 00:00
Date Received: 05/15/23 11:20

Lab Sample ID: 410-126654-1
Matrix: Solid

Method: EPA 537 IDA - EPA 537 Isotope Dilution

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-----------|-----------|----------|------|------|----------------|----------------|----------|---------|
| Perfluorohexanoic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluoroheptanoic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluorooctanoic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluorononanoic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluorodecanoic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluorotridecanoic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluorotetradecanoic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluorobutanesulfonic acid | ND | | 1.9 | 0.37 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluorohexanesulfonic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluoroctanesulfonic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| NEtFOSAA | ND | | 1.9 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| NMeFOSAA | ND | | 1.9 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 10:2 FTS | ND | | 1.9 | 0.56 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluoropentanesulfonic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluoroheptanesulfonic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluorononanesulfonic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluorodecanesulfonic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluoroctanesulfonamide | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluorobutanoic acid | ND | | 1.9 | 0.74 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluoropentanoic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| NMeFOSE | ND | | 1.9 | 0.46 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| NMeFOSA | ND | | 1.9 | 0.46 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| NEtFOSE | ND | | 1.9 | 0.46 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| NEtFOSA | ND | | 1.9 | 0.46 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| HFPDA | ND | | 1.9 | 0.93 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | ND | | 2.8 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 9Cl-PF3ONS | ND | | 1.9 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 11Cl-PF3OUDs | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluorododecanoic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 4:2 Fluorotelomer sulfonic acid | ND | | 1.9 | 0.56 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Perfluoroundecanoic acid | ND | | 0.56 | 0.19 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 6:2 Fluorotelomer sulfonic acid | ND | | 1.9 | 0.56 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 8:2 Fluorotelomer sulfonic acid | ND | | 2.8 | 0.56 | ng/g | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| Isotope Dilution | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac | |
| M2-4:2 FTS | 161 | | 10 - 200 | | | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| M2-8:2 FTS | 155 | | 15 - 200 | | | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| M2-6:2 FTS | 149 | | 10 - 200 | | | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 13C5 PFHxA | 135 | | 10 - 174 | | | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 13C4 PFHpA | 137 | | 10 - 178 | | | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 13C8 PFOA | 129 | | 26 - 159 | | | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 13C9 PFNA | 133 | | 26 - 165 | | | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 13C6 PFDA | 123 | | 26 - 161 | | | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 13C7 PFUnA | 126 | | 12 - 173 | | | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 13C2-PFDoDA | 120 | | 11 - 166 | | | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 13C2 PFTeDA | 114 | | 10 - 169 | | | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 13C3 PFBS | 118 | | 27 - 179 | | | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 13C3 PFHxS | 129 | | 24 - 171 | | | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |
| 13C8 PFOS | 126 | | 41 - 154 | | | 06/01/23 12:24 | 06/24/23 16:37 | | 1 |

Client Sample Results

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Client Sample ID: Artificial Grass Product

Date Collected: 05/11/23 00:00
Date Received: 05/15/23 11:20

Lab Sample ID: 410-126654-1

Matrix: Solid

Method: EPA 537 IDA - EPA 537 Isotope Dilution (Continued)

| Isotope Dilution | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|------------------|-----------|-----------|----------|----------------|----------------|---------|
| d3-NMeFOSAA | 128 | | 10 - 178 | 06/01/23 12:24 | 06/24/23 16:37 | 1 |
| d5-NEtFOSAA | 152 | | 10 - 193 | 06/01/23 12:24 | 06/24/23 16:37 | 1 |
| 13C8 FOSA | 116 | | 14 - 163 | 06/01/23 12:24 | 06/24/23 16:37 | 1 |
| 13C4 PFBA | 124 | | 28 - 153 | 06/01/23 12:24 | 06/24/23 16:37 | 1 |
| 13C5 PFPeA | 126 | | 24 - 161 | 06/01/23 12:24 | 06/24/23 16:37 | 1 |
| d7-N-MeFOSE-M | 110 | | 10 - 179 | 06/01/23 12:24 | 06/24/23 16:37 | 1 |
| d3-NMePFOSA | 103 | | 10 - 175 | 06/01/23 12:24 | 06/24/23 16:37 | 1 |
| d9-N-EtFOSE-M | 109 | | 10 - 185 | 06/01/23 12:24 | 06/24/23 16:37 | 1 |
| d5-NEtPFOSA | 103 | | 10 - 180 | 06/01/23 12:24 | 06/24/23 16:37 | 1 |
| 13C3 HFPO-DA | 90 | | 10 - 169 | 06/01/23 12:24 | 06/24/23 16:37 | 1 |

Method: ELLE - Lancaster ELLE SOP - Total or Organic Fluorine by Combustion Ion Chromatography

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|--------|-----------|-----|-----|------|----------------|----------------|----------|---------|
| Extractable Organic Fluorine (EOF) | ND | | 280 | 130 | ng/g | 05/19/23 12:53 | 05/28/23 18:07 | | 1 |
| Total Fluorine (TF) | 95000 | cn | 410 | 250 | ng/g | 05/21/23 16:54 | 05/22/23 06:13 | | 1 |

Method: SW846 6020B - Metals (ICP/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|---------------|-----------|-------|-------|-------|----------------|----------------|----------|---------|
| Antimony | ND | | 0.20 | 0.079 | mg/Kg | 06/28/23 00:25 | 06/28/23 20:27 | | 2 |
| Arsenic | ND | | 0.40 | 0.13 | mg/Kg | 06/28/23 00:25 | 06/28/23 20:27 | | 2 |
| Barium | 1.7 | | 0.40 | 0.18 | mg/Kg | 06/28/23 00:25 | 06/28/23 20:27 | | 2 |
| Beryllium | ND | | 0.099 | 0.024 | mg/Kg | 06/28/23 00:25 | 06/28/23 20:27 | | 2 |
| Cadmium | ND | | 0.099 | 0.040 | mg/Kg | 06/28/23 00:25 | 06/28/23 20:27 | | 2 |
| Chromium | 0.50 | | 0.32 | 0.12 | mg/Kg | 06/29/23 19:41 | 06/30/23 11:00 | | 2 |
| Cobalt | 0.45 | | 0.20 | 0.058 | mg/Kg | 06/28/23 00:25 | 06/28/23 20:27 | | 2 |
| Copper | 0.72 | | 0.40 | 0.087 | mg/Kg | 06/28/23 00:25 | 06/28/23 20:27 | | 2 |
| Lead | 0.11 J | | 0.20 | 0.075 | mg/Kg | 06/28/23 00:25 | 06/28/23 20:27 | | 2 |
| Molybdenum | 0.41 | | 0.20 | 0.091 | mg/Kg | 06/28/23 00:25 | 06/28/23 20:27 | | 2 |
| Nickel | 6.9 B ^2 | | 0.40 | 0.16 | mg/Kg | 06/28/23 00:25 | 06/28/23 20:27 | | 2 |
| Selenium | ND | | 0.40 | 0.099 | mg/Kg | 06/28/23 00:25 | 06/28/23 20:27 | | 2 |
| Silver | ND | | 0.099 | 0.040 | mg/Kg | 06/28/23 00:25 | 06/28/23 20:27 | | 2 |
| Thallium | ND | | 0.099 | 0.039 | mg/Kg | 06/28/23 00:25 | 06/28/23 20:27 | | 2 |
| Vanadium | 0.29 J | | 0.79 | 0.20 | mg/Kg | 06/28/23 00:25 | 06/28/23 20:27 | | 2 |
| Zinc | 330 | | 150 | 20 | mg/Kg | 06/28/23 00:25 | 06/28/23 20:29 | | 10 |

Method: SW846 6020B - Metals (ICP/MS) - STLC Citrate

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------|----------------|-----------|-------|--------|------|----------------|----------------|----------|---------|
| Antimony | ND | | 0.025 | 0.0050 | mg/L | 05/29/23 19:52 | 06/01/23 18:14 | | 1 |
| Arsenic | ND | | 0.050 | 0.017 | mg/L | 05/29/23 19:52 | 06/01/23 18:14 | | 1 |
| Barium | 0.12 B | | 0.050 | 0.019 | mg/L | 05/29/23 19:52 | 06/01/23 18:14 | | 1 |
| Beryllium | ND | | 0.013 | 0.0030 | mg/L | 05/29/23 19:52 | 06/01/23 18:14 | | 1 |
| Cadmium | ND | | 0.013 | 0.0038 | mg/L | 05/29/23 19:52 | 06/01/23 18:14 | | 1 |
| Chromium | 0.018 J | | 0.050 | 0.0084 | mg/L | 05/29/23 19:52 | 06/01/23 18:14 | | 1 |
| Cobalt | 0.025 B | | 0.013 | 0.0039 | mg/L | 05/29/23 19:52 | 06/01/23 18:14 | | 1 |
| Copper | 0.012 J | | 0.025 | 0.0091 | mg/L | 05/29/23 19:52 | 06/01/23 18:14 | | 1 |
| Lead | 0.0079 J | | 0.013 | 0.0018 | mg/L | 05/29/23 19:52 | 06/01/23 18:14 | | 1 |
| Molybdenum | 0.022 | | 0.013 | 0.0033 | mg/L | 05/29/23 19:52 | 06/01/23 18:14 | | 1 |
| Nickel | 0.010 J | | 0.025 | 0.010 | mg/L | 05/29/23 19:52 | 06/01/23 18:14 | | 1 |
| Selenium | ND | | 0.025 | 0.0070 | mg/L | 05/29/23 19:52 | 06/01/23 18:14 | | 1 |
| Silver | ND | | 0.013 | 0.0025 | mg/L | 05/29/23 19:52 | 06/01/23 18:14 | | 1 |

Client Sample Results

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Client Sample ID: Artificial Grass Product

Lab Sample ID: 410-126654-1

Date Collected: 05/11/23 00:00

Matrix: Solid

Date Received: 05/15/23 11:20

Method: SW846 6020B - Metals (ICP/MS) - STLC Citrate (Continued)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|-------|--------|------|---|----------------|----------------|---------|
| Thallium | ND | | 0.013 | 0.0033 | mg/L | | 05/29/23 19:52 | 06/01/23 18:14 | 1 |
| Vanadium | ND | | 0.10 | 0.020 | mg/L | | 05/29/23 19:52 | 06/01/23 18:14 | 1 |
| Zinc | ND | | 0.25 | 0.10 | mg/L | | 05/29/23 19:52 | 06/01/23 18:14 | 1 |

Method: SW846 7470A - Mercury (CVAA) - STLC Citrate

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-----|-----|------|---|----------------|----------------|---------|
| Mercury | ND | | 8.0 | 3.2 | ug/L | | 05/29/23 19:56 | 05/31/23 08:47 | 1 |

Method: SW846 7471B - Mercury (CVAA)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|-------|-------|---|----------------|----------------|---------|
| Mercury | ND | H cn | 0.058 | 0.019 | mg/Kg | | 06/28/23 00:53 | 06/28/23 12:35 | 1 |

Isotope Dilution Summary

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Method: 537 IDA - EPA 537 Isotope Dilution

Matrix: Solid

Prep Type: Total/NA

| Lab Sample ID | Client Sample ID | Percent Isotope Dilution Recovery (Acceptance Limits) | | | | | | | |
|--------------------|--------------------------|---|---------------------|---------------------|---------------------|---------------------|--------------------|---------------------|---------------------|
| | | M242FTS (10-200) | M282FTS (15-200) | M262FTS (10-200) | 13C5PHA (10-174) | C4PFHA (10-178) | C8PFOA (26-159) | C9PFNA (26-165) | C6PFDA (26-161) |
| 410-126654-1 | Artificial Grass Product | 161 | 155 | 149 | 135 | 137 | 129 | 133 | 123 |
| 410-126654-1 MS | Artificial Grass Product | 149 | 138 | 123 | 130 | 121 | 124 | 131 | 122 |
| 410-126654-1 MSD | Artificial Grass Product | 144 | 128 | 121 | 128 | 123 | 124 | 127 | 119 |
| LCS 410-381955/2-B | Lab Control Sample | 130 | 137 | 121 | 126 | 123 | 126 | 131 | 123 |
| MB 410-381955/1-B | Method Blank | 133 | 145 | 142 | 134 | 131 | 135 | 141 | 124 |
| Lab Sample ID | Client Sample ID | Percent Isotope Dilution Recovery (Acceptance Limits) | | | | | | | |
| | | 13C7PUA (12-173) | PFDoDA (11-166) | PFTDA (10-169) | C3PFBS (27-179) | C3PFHS (24-171) | C8PFOS (41-154) | d3NMFOS (10-178) | d5NEFOS (10-193) |
| 410-126654-1 | Artificial Grass Product | 126 | 120 | 114 | 118 | 129 | 126 | 128 | 152 |
| 410-126654-1 MS | Artificial Grass Product | 126 | 114 | 119 | 120 | 120 | 125 | 130 | 142 |
| 410-126654-1 MSD | Artificial Grass Product | 122 | 110 | 117 | 114 | 120 | 125 | 131 | 152 |
| LCS 410-381955/2-B | Lab Control Sample | 128 | 121 | 119 | 120 | 128 | 125 | 128 | 137 |
| MB 410-381955/1-B | Method Blank | 128 | 128 | 115 | 116 | 131 | 128 | 120 | 141 |
| Lab Sample ID | Client Sample ID | Percent Isotope Dilution Recovery (Acceptance Limits) | | | | | | | |
| | | PFOSA (14-163) | PFBA (28-153) | PPPeA (24-161) | NMFM (10-179) | d3NMFSA (10-175) | NEFM (10-185) | d5NPFSA (10-180) | HFPODA (10-169) |
| 410-126654-1 | Artificial Grass Product | 116 | 124 | 126 | 110 | 103 | 109 | 103 | 90 |
| 410-126654-1 MS | Artificial Grass Product | 120 | 125 | 128 | 110 | 106 | 115 | 105 | 90 |
| 410-126654-1 MSD | Artificial Grass Product | 117 | 123 | 123 | 113 | 104 | 118 | 103 | 88 |
| LCS 410-381955/2-B | Lab Control Sample | 113 | 113 | 116 | 115 | 111 | 115 | 110 | 85 |
| MB 410-381955/1-B | Method Blank | 112 | 115 | 120 | 116 | 104 | 108 | 103 | 81 |

Surrogate Legend

M242FTS = M2-4:2 FTS
 M282FTS = M2-8:2 FTS
 M262FTS = M2-6:2 FTS
 13C5PHA = 13C5 PFHxA
 C4PFHA = 13C4 PFHpa
 C8PFOA = 13C8 PFOA
 C9PFNA = 13C9 PFNA
 C6PFDA = 13C6 PFDA
 13C7PUA = 13C7 PFUnA
 PFDoDA = 13C2-PFDoDA
 PFTDA = 13C2 PFTeDA
 C3PFBS = 13C3 PFBS
 C3PFHS = 13C3 PFHxS
 C8PFOS = 13C8 PFOS
 d3NMFOS = d3-NMeFOSAA
 d5NEFOS = d5-NEtFOSAA
 PFOSA = 13C8 FOSA
 PFBA = 13C4 PFBA
 PPPeA = 13C5 PPPeA
 NMFM = d7-N-MeFOSE-M
 d3NMFSA = d3-NMePFOSA
 NEFM = d9-N-EtFOSE-M
 d5NPFSA = d5-NEtPFOSA
 HFPODA = 13C3 HFPO-DA

QC Sample Results

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Method: 537 IDA - EPA 537 Isotope Dilution

Lab Sample ID: MB 410-381955/1-B

Matrix: Solid

Analysis Batch: 390283

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 381955

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-----------------|-----------------|--------------|----------------|----------------|----------------|----------------|----------|---------|
| Perfluorohexanoic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluoroheptanoic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluoroctanoic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluorononanoic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluorodecanoic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluorotridecanoic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluorotetradecanoic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluorobutanesulfonic acid | ND | | 2.0 | 0.40 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluorohexanesulfonic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluoroctanesulfonic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| NEtFOSAA | ND | | 2.0 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| NMeFOSAA | ND | | 2.0 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| 10:2 FTS | ND | | 2.0 | 0.60 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluoropentanesulfonic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluoroheptanesulfonic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluorononanesulfonic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluorodecanesulfonic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluorooctanesulfonamide | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluorobutanoic acid | ND | | 2.0 | 0.80 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluoropentanoic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| NMeFOSE | ND | | 2.0 | 0.50 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| NMeFOSA | ND | | 2.0 | 0.50 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| NEtFOSE | ND | | 2.0 | 0.50 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| NETFOSA | ND | | 2.0 | 0.50 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| HFPODA | ND | | 2.0 | 1.0 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | ND | | 3.0 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| 9CI-PF3ONS | ND | | 2.0 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| 11CI-PF3OUdS | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluorododecanoic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| 4:2 Fluorotelomer sulfonic acid | ND | | 2.0 | 0.60 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Perfluoroundecanoic acid | ND | | 0.60 | 0.20 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| 6:2 Fluorotelomer sulfonic acid | ND | | 2.0 | 0.60 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| 8:2 Fluorotelomer sulfonic acid | ND | | 3.0 | 0.60 | ng/g | 06/01/23 12:24 | 06/24/23 16:13 | | 1 |
| Isotope Dilution | MB %Recovery | MB Qualifier | MB Limits | Prepared | Analyzed | Dil Fac | | | |
| M2-4:2 FTS | 133 | | 10 - 200 | 06/01/23 12:24 | 06/24/23 16:13 | 1 | | | |
| M2-8:2 FTS | 145 | | 15 - 200 | 06/01/23 12:24 | 06/24/23 16:13 | 1 | | | |
| M2-6:2 FTS | 142 | | 10 - 200 | 06/01/23 12:24 | 06/24/23 16:13 | 1 | | | |
| 13C5 PFHxA | 134 | | 10 - 174 | 06/01/23 12:24 | 06/24/23 16:13 | 1 | | | |
| 13C4 PFHpA | 131 | | 10 - 178 | 06/01/23 12:24 | 06/24/23 16:13 | 1 | | | |
| 13C8 PFOA | 135 | | 26 - 159 | 06/01/23 12:24 | 06/24/23 16:13 | 1 | | | |
| 13C9 PFNA | 141 | | 26 - 165 | 06/01/23 12:24 | 06/24/23 16:13 | 1 | | | |
| 13C6 PFDA | 124 | | 26 - 161 | 06/01/23 12:24 | 06/24/23 16:13 | 1 | | | |
| 13C7 PFUnA | 128 | | 12 - 173 | 06/01/23 12:24 | 06/24/23 16:13 | 1 | | | |
| 13C2-PFDaDA | 128 | | 11 - 166 | 06/01/23 12:24 | 06/24/23 16:13 | 1 | | | |
| 13C2 PFTeDA | 115 | | 10 - 169 | 06/01/23 12:24 | 06/24/23 16:13 | 1 | | | |
| 13C3 PFBS | 116 | | 27 - 179 | 06/01/23 12:24 | 06/24/23 16:13 | 1 | | | |
| 13C3 PFHxA | 131 | | 24 - 171 | 06/01/23 12:24 | 06/24/23 16:13 | 1 | | | |

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Sample Results

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Method: 537 IDA - EPA 537 Isotope Dilution (Continued)

Lab Sample ID: MB 410-381955/1-B

Matrix: Solid

Analysis Batch: 390283

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 381955

| Isotope Dilution | MB | MB | %Recovery | Qualifier | Limits |
|------------------|----|-----|-----------|-----------|----------|
| 13C8 PFOS | | 128 | | | 41 - 154 |
| d3-NMeFOSAA | | 120 | | | 10 - 178 |
| d5-NEtFOSAA | | 141 | | | 10 - 193 |
| 13C8 FOSA | | 112 | | | 14 - 163 |
| 13C4 PFBA | | 115 | | | 28 - 153 |
| 13C5 PFPeA | | 120 | | | 24 - 161 |
| d7-N-MeFOSE-M | | 116 | | | 10 - 179 |
| d3-NMePFOSA | | 104 | | | 10 - 175 |
| d9-N-EtFOSE-M | | 108 | | | 10 - 185 |
| d5-NEtPFOSA | | 103 | | | 10 - 180 |
| 13C3 HFPO-DA | | 81 | | | 10 - 169 |

Prepared: 06/01/23 12:24

Analyzed: 06/24/23 16:13

Dil Fac: 1

Prepared: 06/01/23 12:24

Analyzed: 06/24/23 16:13

Dil Fac: 1

Prepared: 06/01/23 12:24

Analyzed: 06/24/23 16:13

Dil Fac: 1

Prepared: 06/01/23 12:24

Analyzed: 06/24/23 16:13

Dil Fac: 1

Prepared: 06/01/23 12:24

Analyzed: 06/24/23 16:13

Dil Fac: 1

Prepared: 06/01/23 12:24

Analyzed: 06/24/23 16:13

Dil Fac: 1

Prepared: 06/01/23 12:24

Analyzed: 06/24/23 16:13

Dil Fac: 1

Lab Sample ID: LCS 410-381955/2-B

Matrix: Solid

Analysis Batch: 390283

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 381955

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---|----------------|---------------|------------------|------|----|----------|----------------|
| Perfluorohexanoic acid | 25.0 | 18.2 | | ng/g | 73 | 59 - 132 | |
| Perfluoroheptanoic acid | 25.0 | 20.6 | | ng/g | 82 | 59 - 137 | |
| Perfluorooctanoic acid | 25.0 | 20.0 | | ng/g | 80 | 59 - 131 | |
| Perfluorononanoic acid | 25.0 | 20.3 | | ng/g | 81 | 61 - 134 | |
| Perfluorodecanoic acid | 25.0 | 20.8 | | ng/g | 83 | 56 - 133 | |
| Perfluorotridecanoic acid | 25.0 | 21.0 | | ng/g | 84 | 53 - 143 | |
| Perfluorotetradecanoic acid | 25.0 | 21.1 | | ng/g | 84 | 62 - 134 | |
| Perfluorobutanesulfonic acid | 22.1 | 18.3 | | ng/g | 83 | 54 - 130 | |
| Perfluorohexanesulfonic acid | 22.8 | 18.2 | | ng/g | 80 | 59 - 129 | |
| Perfluorooctanesulfonic acid | 23.1 | 19.0 | | ng/g | 82 | 61 - 126 | |
| NEtFOSAA | 25.0 | 20.5 | | ng/g | 82 | 57 - 127 | |
| NMeFOSAA | 25.0 | 20.4 | | ng/g | 81 | 60 - 134 | |
| 10:2 FTS | 24.1 | 18.0 | | ng/g | 74 | 46 - 143 | |
| Perfluoropentanesulfonic acid | 23.5 | 19.8 | | ng/g | 84 | 57 - 133 | |
| Perfluoroheptanesulfonic acid | 23.8 | 19.0 | | ng/g | 80 | 59 - 132 | |
| Perfluorononanesulfonic acid | 24.0 | 19.0 | | ng/g | 79 | 60 - 132 | |
| Perfluorodecanesulfonic acid | 24.1 | 19.5 | | ng/g | 81 | 57 - 132 | |
| Perfluoroctanesulfonamide | 25.0 | 19.2 | | ng/g | 77 | 47 - 149 | |
| Perfluorobutanoic acid | 25.0 | 19.4 | | ng/g | 78 | 60 - 128 | |
| Perfluoropentanoic acid | 25.0 | 19.3 | | ng/g | 77 | 58 - 134 | |
| NMeFOSE | 25.0 | 19.5 | | ng/g | 78 | 60 - 130 | |
| NMeFOSA | 25.0 | 21.1 | | ng/g | 84 | 60 - 129 | |
| NEtFOSE | 25.0 | 18.6 | | ng/g | 74 | 60 - 126 | |
| NEtFOSA | 25.0 | 18.9 | | ng/g | 76 | 60 - 123 | |
| HFPODA | 25.0 | 16.1 | | ng/g | 65 | 49 - 135 | |
| 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | 23.6 | 19.4 | | ng/g | 82 | 57 - 137 | |
| 9CI-PF3ONS | 23.3 | 19.1 | | ng/g | 82 | 62 - 130 | |
| 11CI-PF3OUDs | 23.3 | 19.5 | | ng/g | 84 | 55 - 135 | |
| Perfluorododecanoic acid | 25.0 | 20.7 | | ng/g | 83 | 60 - 135 | |
| 4:2 Fluorotelomer sulfonic acid | 23.4 | 18.2 | | ng/g | 78 | 58 - 131 | |
| Perfluoroundecanoic acid | 25.0 | 21.3 | | ng/g | 85 | 60 - 134 | |

QC Sample Results

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Method: 537 IDA - EPA 537 Isotope Dilution (Continued)

Lab Sample ID: LCS 410-381955/2-B

Matrix: Solid

Analysis Batch: 390283

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 381955

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | Limits |
|---------------------------------|---------------|---------------|---------------|------|----|----------|--------|
| 6:2 Fluorotelomer sulfonic acid | 23.7 | 17.9 | | ng/g | 75 | 59 - 135 | |
| 8:2 Fluorotelomer sulfonic acid | 24.0 | 18.2 | | ng/g | 76 | 55 - 133 | |
| Isotope Dilution | LCS %Recovery | LCS Qualifier | Limits | | | | |
| M2-4:2 FTS | 130 | | 10 - 200 | | | | |
| M2-8:2 FTS | 137 | | 15 - 200 | | | | |
| M2-6:2 FTS | 121 | | 10 - 200 | | | | |
| 13C5 PFHxA | 126 | | 10 - 174 | | | | |
| 13C4 PFHpA | 123 | | 10 - 178 | | | | |
| 13C8 PFOA | 126 | | 26 - 159 | | | | |
| 13C9 PFNA | 131 | | 26 - 165 | | | | |
| 13C6 PFDA | 123 | | 26 - 161 | | | | |
| 13C7 PFUnA | 128 | | 12 - 173 | | | | |
| 13C2-PFDoDA | 121 | | 11 - 166 | | | | |
| 13C2 PFTeDA | 119 | | 10 - 169 | | | | |
| 13C3 PFBS | 120 | | 27 - 179 | | | | |
| 13C3 PFHxS | 128 | | 24 - 171 | | | | |
| 13C8 PFOS | 125 | | 41 - 154 | | | | |
| d3-NMeFOSAA | 128 | | 10 - 178 | | | | |
| d5-NEtFOSAA | 137 | | 10 - 193 | | | | |
| 13C8 FOSA | 113 | | 14 - 163 | | | | |
| 13C4 PFBA | 113 | | 28 - 153 | | | | |
| 13C5 PFPeA | 116 | | 24 - 161 | | | | |
| d7-N-MeFOSE-M | 115 | | 10 - 179 | | | | |
| d3-NMePFOSA | 111 | | 10 - 175 | | | | |
| d9-N-EtFOSE-M | 115 | | 10 - 185 | | | | |
| d5-NEtPFOSA | 110 | | 10 - 180 | | | | |
| 13C3 HFPO-DA | 85 | | 10 - 169 | | | | |

Lab Sample ID: 410-126654-1 MS

Matrix: Solid

Analysis Batch: 390283

Client Sample ID: Artificial Grass Product

Prep Type: Total/NA

Prep Batch: 381955

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | Limits |
|-------------------------------|---------------|------------------|-------------|-----------|--------------|------|----|----------|--------|
| Perfluorohexanoic acid | ND | | 22.9 | 17.2 | | ng/g | 75 | 59 - 132 | |
| Perfluoroheptanoic acid | ND | | 22.9 | 19.5 | | ng/g | 85 | 59 - 137 | |
| Perfluorooctanoic acid | ND | | 22.9 | 18.3 | | ng/g | 80 | 59 - 131 | |
| Perfluorononanoic acid | ND | | 22.9 | 19.5 | | ng/g | 85 | 61 - 134 | |
| Perfluorodecanoic acid | ND | | 22.9 | 19.8 | | ng/g | 86 | 56 - 133 | |
| Perfluorotridecanoic acid | ND | | 22.9 | 19.7 | | ng/g | 86 | 53 - 143 | |
| Perfluorotetradecanoic acid | ND | | 22.9 | 18.4 | | ng/g | 80 | 62 - 134 | |
| Perfluorobutanesulfonic acid | ND | | 20.3 | 17.0 | | ng/g | 84 | 54 - 130 | |
| Perfluorohexanesulfonic acid | ND | | 20.9 | 17.1 | | ng/g | 82 | 59 - 129 | |
| Perfluorooctanesulfonic acid | ND | | 21.2 | 17.2 | | ng/g | 81 | 61 - 126 | |
| NEtFOSAA | ND | | 22.9 | 18.9 | | ng/g | 82 | 57 - 127 | |
| NMeFOSAA | ND | | 22.9 | 18.1 | | ng/g | 79 | 60 - 134 | |
| 10:2 FTS | ND | | 22.1 | 18.4 | | ng/g | 83 | 46 - 143 | |
| Perfluoropentanesulfonic acid | ND | | 21.5 | 18.2 | | ng/g | 85 | 57 - 133 | |
| Perfluoroheptanesulfonic acid | ND | | 21.8 | 17.5 | | ng/g | 80 | 59 - 132 | |

QC Sample Results

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Method: 537 IDA - EPA 537 Isotope Dilution (Continued)

Lab Sample ID: 410-126654-1 MS

Matrix: Solid

Analysis Batch: 390283

Client Sample ID: Artificial Grass Product

Prep Type: Total/NA

Prep Batch: 381955

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | Limits |
|---|---------------|------------------|-------------|-----------|--------------|------|----|----------|--------|
| Perfluorononanesulfonic acid | ND | | 22.0 | 17.6 | | ng/g | 80 | 60 - 132 | |
| Perfluorodecanesulfonic acid | ND | | 22.1 | 17.7 | | ng/g | 80 | 57 - 132 | |
| Perfluoroctanesulfonamide | ND | | 22.9 | 16.9 | | ng/g | 74 | 47 - 149 | |
| Perfluorobutanoic acid | ND | | 22.9 | 17.7 | | ng/g | 77 | 60 - 128 | |
| Perfluoropentanoic acid | ND | | 22.9 | 17.2 | | ng/g | 75 | 58 - 134 | |
| NMeFOSE | ND | | 22.9 | 17.6 | | ng/g | 77 | 60 - 130 | |
| NMeFOSA | ND | | 22.9 | 17.3 | | ng/g | 75 | 60 - 129 | |
| NEtFOSE | ND | | 22.9 | 17.3 | | ng/g | 75 | 60 - 126 | |
| NEtFOSA | ND | | 22.9 | 16.0 | | ng/g | 70 | 60 - 123 | |
| HFPEDA | ND | | 22.9 | 17.2 | | ng/g | 75 | 49 - 135 | |
| 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | ND | | 21.7 | 18.5 | | ng/g | 85 | 57 - 137 | |
| 9Cl-PF3ONS | ND | | 21.3 | 17.7 | | ng/g | 83 | 62 - 130 | |
| 11Cl-PF3OUDS | ND | | 21.3 | 17.8 | | ng/g | 83 | 55 - 135 | |
| Perfluorododecanoic acid | ND | | 22.9 | 19.3 | | ng/g | 84 | 60 - 135 | |
| 4:2 Fluorotelomer sulfonic acid | ND | | 21.4 | 16.1 | | ng/g | 75 | 58 - 131 | |
| Perfluoroundecanoic acid | ND | | 22.9 | 19.0 | | ng/g | 83 | 60 - 134 | |
| 6:2 Fluorotelomer sulfonic acid | ND | | 21.7 | 16.8 | | ng/g | 77 | 59 - 135 | |
| 8:2 Fluorotelomer sulfonic acid | ND | | 22.0 | 17.0 | | ng/g | 77 | 55 - 133 | |
| Isotope Dilution | MS %Recovery | MS Qualifier | MS Limits | | | | | | |
| M2-4:2 FTS | 149 | | 10 - 200 | | | | | | |
| M2-8:2 FTS | 138 | | 15 - 200 | | | | | | |
| M2-6:2 FTS | 123 | | 10 - 200 | | | | | | |
| 13C5 PFHxA | 130 | | 10 - 174 | | | | | | |
| 13C4 PFHpA | 121 | | 10 - 178 | | | | | | |
| 13C8 PFOA | 124 | | 26 - 159 | | | | | | |
| 13C9 PFNA | 131 | | 26 - 165 | | | | | | |
| 13C6 PFDA | 122 | | 26 - 161 | | | | | | |
| 13C7 PFUnA | 126 | | 12 - 173 | | | | | | |
| 13C2-PFDoDA | 114 | | 11 - 166 | | | | | | |
| 13C2 PFTeDA | 119 | | 10 - 169 | | | | | | |
| 13C3 PFBS | 120 | | 27 - 179 | | | | | | |
| 13C3 PFHxS | 120 | | 24 - 171 | | | | | | |
| 13C8 PFOS | 125 | | 41 - 154 | | | | | | |
| d3-NMeFOSAA | 130 | | 10 - 178 | | | | | | |
| d5-NEtFOSAA | 142 | | 10 - 193 | | | | | | |
| 13C8 FOSA | 120 | | 14 - 163 | | | | | | |
| 13C4 PFBA | 125 | | 28 - 153 | | | | | | |
| 13C5 PFPeA | 128 | | 24 - 161 | | | | | | |
| d7-N-MeFOSE-M | 110 | | 10 - 179 | | | | | | |
| d3-NMePFOSA | 106 | | 10 - 175 | | | | | | |
| d9-N-EtFOSE-M | 115 | | 10 - 185 | | | | | | |
| d5-NEtPFOSA | 105 | | 10 - 180 | | | | | | |
| 13C3 HFPO-DA | 90 | | 10 - 169 | | | | | | |

QC Sample Results

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Method: 537 IDA - EPA 537 Isotope Dilution (Continued)

Lab Sample ID: 410-126654-1 MSD

Matrix: Solid

Analysis Batch: 390283

Client Sample ID: Artificial Grass Product

Prep Type: Total/NA

Prep Batch: 381955

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | Limits | RPD | RPD Limit |
|---|---------------|------------------|-------------|------------|---------------|------|----|----------|--------|-----|-----------|
| Perfluorohexanoic acid | ND | | 23.1 | 17.4 | | ng/g | 75 | 59 - 132 | | 1 | 30 |
| Perfluoroheptanoic acid | ND | | 23.1 | 18.8 | | ng/g | 81 | 59 - 137 | | 4 | 30 |
| Perfluoroctanoic acid | ND | | 23.1 | 19.0 | | ng/g | 82 | 59 - 131 | | 4 | 30 |
| Perfluorononanoic acid | ND | | 23.1 | 19.4 | | ng/g | 84 | 61 - 134 | | 1 | 30 |
| Perfluorodecanoic acid | ND | | 23.1 | 19.8 | | ng/g | 86 | 56 - 133 | | 0 | 30 |
| Perfluorotridecanoic acid | ND | | 23.1 | 19.2 | | ng/g | 83 | 53 - 143 | | 3 | 30 |
| Perfluorotetradecanoic acid | ND | | 23.1 | 19.6 | | ng/g | 84 | 62 - 134 | | 6 | 30 |
| Perfluorobutanesulfonic acid | ND | | 20.5 | 17.4 | | ng/g | 85 | 54 - 130 | | 2 | 30 |
| Perfluorohexanesulfonic acid | ND | | 21.1 | 17.1 | | ng/g | 81 | 59 - 129 | | 0 | 30 |
| Perfluoroctanesulfonic acid | ND | | 21.4 | 17.0 | | ng/g | 79 | 61 - 126 | | 1 | 30 |
| NEtFOSAA | ND | | 23.1 | 17.9 | | ng/g | 77 | 57 - 127 | | 6 | 30 |
| NMeFOSAA | ND | | 23.1 | 18.4 | | ng/g | 80 | 60 - 134 | | 2 | 30 |
| 10:2 FTS | ND | | 22.3 | 19.2 | | ng/g | 86 | 46 - 143 | | 4 | 30 |
| Perfluoropentanesulfonic acid | ND | | 21.7 | 18.9 | | ng/g | 87 | 57 - 133 | | 4 | 30 |
| Perfluoroheptanesulfonic acid | ND | | 22.0 | 17.2 | | ng/g | 78 | 59 - 132 | | 1 | 30 |
| Perfluorononanesulfonic acid | ND | | 22.2 | 17.1 | | ng/g | 77 | 60 - 132 | | 3 | 30 |
| Perfluorodecanesulfonic acid | ND | | 22.3 | 17.2 | | ng/g | 77 | 57 - 132 | | 3 | 30 |
| Perfluorooctanesulfonamide | ND | | 23.1 | 18.0 | | ng/g | 78 | 47 - 149 | | 6 | 30 |
| Perfluorobutanoic acid | ND | | 23.1 | 18.0 | | ng/g | 78 | 60 - 128 | | 2 | 30 |
| Perfluoropentanoic acid | ND | | 23.1 | 17.8 | | ng/g | 77 | 58 - 134 | | 3 | 30 |
| NMeFOSE | ND | | 23.1 | 17.4 | | ng/g | 75 | 60 - 130 | | 1 | 30 |
| NMeFOSA | ND | | 23.1 | 20.0 | | ng/g | 87 | 60 - 129 | | 15 | 30 |
| NEtFOSE | ND | | 23.1 | 16.6 | | ng/g | 72 | 60 - 126 | | 4 | 30 |
| NEtFOSA | ND | | 23.1 | 18.5 | | ng/g | 80 | 60 - 123 | | 15 | 30 |
| HFPODA | ND | | 23.1 | 17.1 | | ng/g | 74 | 49 - 135 | | 1 | 30 |
| 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | ND | | 21.9 | 18.6 | | ng/g | 85 | 57 - 137 | | 1 | 30 |
| 9Cl-PF3ONS | ND | | 21.5 | 16.9 | | ng/g | 79 | 62 - 130 | | 5 | 30 |
| 11Cl-PF3OUdS | ND | | 21.5 | 17.3 | | ng/g | 80 | 55 - 135 | | 3 | 30 |
| Perfluorododecanoic acid | ND | | 23.1 | 20.2 | | ng/g | 87 | 60 - 135 | | 4 | 30 |
| 4:2 Fluorotelomer sulfonic acid | ND | | 21.6 | 16.5 | | ng/g | 77 | 58 - 131 | | 3 | 30 |
| Perfluoroundecanoic acid | ND | | 23.1 | 20.7 | | ng/g | 89 | 60 - 134 | | 9 | 30 |
| 6:2 Fluorotelomer sulfonic acid | ND | | 21.9 | 17.2 | | ng/g | 79 | 59 - 135 | | 3 | 30 |
| 8:2 Fluorotelomer sulfonic acid | ND | | 22.2 | 18.7 | | ng/g | 84 | 55 - 133 | | 9 | 30 |
| Isotope Dilution | MSD %Recovery | MSD Qualifier | Limits | | | | | | | | |
| M2-4:2 FTS | 144 | | 10 - 200 | | | | | | | | |
| M2-8:2 FTS | 128 | | 15 - 200 | | | | | | | | |
| M2-6:2 FTS | 121 | | 10 - 200 | | | | | | | | |
| 13C5 PFHxA | 128 | | 10 - 174 | | | | | | | | |
| 13C4 PFHpA | 123 | | 10 - 178 | | | | | | | | |
| 13C8 PFOA | 124 | | 26 - 159 | | | | | | | | |
| 13C9 PFNA | 127 | | 26 - 165 | | | | | | | | |
| 13C6 PFDA | 119 | | 26 - 161 | | | | | | | | |
| 13C7 PFUnA | 122 | | 12 - 173 | | | | | | | | |
| 13C2-PFDoDA | 110 | | 11 - 166 | | | | | | | | |
| 13C2 PFTeDA | 117 | | 10 - 169 | | | | | | | | |
| 13C3 PFBS | 114 | | 27 - 179 | | | | | | | | |
| 13C3 PFHxS | 120 | | 24 - 171 | | | | | | | | |

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Sample Results

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Method: 537 IDA - EPA 537 Isotope Dilution (Continued)

Lab Sample ID: 410-126654-1 MSD

Matrix: Solid

Analysis Batch: 390283

Client Sample ID: Artificial Grass Product

Prep Type: Total/NA

Prep Batch: 381955

| Isotope Dilution | MSD %Recovery | MSD Qualifier | Limits |
|------------------|------------------|------------------|----------|
| 13C8 PFOS | 125 | | 41 - 154 |
| d3-NMeFOSAA | 131 | | 10 - 178 |
| d5-NEtFOSAA | 152 | | 10 - 193 |
| 13C8 FOSA | 117 | | 14 - 163 |
| 13C4 PFBA | 123 | | 28 - 153 |
| 13C5 PFPeA | 123 | | 24 - 161 |
| d7-N-MeFOSE-M | 113 | | 10 - 179 |
| d3-NMePFOSA | 104 | | 10 - 175 |
| d9-N-EtFOSE-M | 118 | | 10 - 185 |
| d5-NEtPFOSA | 103 | | 10 - 180 |
| 13C3 HFPO-DA | 88 | | 10 - 169 |

Method: ELLE SOP - Total or Organic Fluorine by Combustion Ion Chromatography

Lab Sample ID: MB 410-377912/1-B

Matrix: Solid

Analysis Batch: 380923

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 377912

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|--------------|-----------------|-----|-----|------|---|----------------|----------------|---------|
| Extractable Organic Fluorine (EOF) | ND | | 300 | 140 | ng/g | | 05/19/23 12:53 | 05/28/23 16:29 | 1 |

Lab Sample ID: LCS 410-377912/2-B

Matrix: Solid

Analysis Batch: 380923

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 377912

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|------------------------------------|----------------|---------------|------------------|------|---|------|----------------|
| Extractable Organic Fluorine (EOF) | 2020 | 1960 | | ng/g | | 97 | 50 - 150 |

Lab Sample ID: LCSD 410-377912/3-B

Matrix: Solid

Analysis Batch: 380923

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 377912

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|------------------------------------|----------------|----------------|-------------------|------|---|------|----------------|-----|--------------|
| Extractable Organic Fluorine (EOF) | 2020 | 2140 | | ng/g | | 106 | 50 - 150 | 9 | 20 |

Lab Sample ID: MB 410-378269/1-A

Matrix: Solid

Analysis Batch: 378466

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 378269

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------|--------------|-----------------|-----|-----|------|---|----------------|----------------|---------|
| Total Fluorine (TF) | ND | | 200 | 120 | ng/g | | 05/21/23 14:54 | 05/21/23 15:30 | 1 |

Lab Sample ID: LCS 410-378269/2-A

Matrix: Solid

Analysis Batch: 378466

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 378269

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---------------------|----------------|---------------|------------------|------|---|------|----------------|
| Total Fluorine (TF) | 10100 | 11100 | | ng/g | | 110 | 50 - 150 |

QC Sample Results

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Method: ELLE SOP - Total or Organic Fluorine by Combustion Ion Chromatography (Continued)

Lab Sample ID: LCSD 410-378269/3-A

Matrix: Solid

Analysis Batch: 378466

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 378269

| Analyte | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | RPD | RPD Limit |
|---------------------|-------------|-------------|----------------|------|-----|----------|-----|-----------|
| Total Fluorine (TF) | 10100 | 11300 | | ng/g | 112 | 50 - 150 | 2 | 20 |

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 410-391522/1-A ^2

Matrix: Solid

Analysis Batch: 391998

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 391522

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|-----------|--------------|------|-------|-------|---|----------------|----------------|---------|
| Antimony | ND | | 0.20 | 0.080 | mg/Kg | | 06/28/23 00:25 | 06/28/23 19:41 | 2 |
| Arsenic | ND | | 0.40 | 0.13 | mg/Kg | | 06/28/23 00:25 | 06/28/23 19:41 | 2 |
| Barium | ND | | 0.40 | 0.18 | mg/Kg | | 06/28/23 00:25 | 06/28/23 19:41 | 2 |
| Beryllium | ND | | 0.10 | 0.024 | mg/Kg | | 06/28/23 00:25 | 06/28/23 19:41 | 2 |
| Cadmium | ND | | 0.10 | 0.040 | mg/Kg | | 06/28/23 00:25 | 06/28/23 19:41 | 2 |
| Cobalt | ND | | 0.20 | 0.058 | mg/Kg | | 06/28/23 00:25 | 06/28/23 19:41 | 2 |
| Copper | ND | | 0.40 | 0.088 | mg/Kg | | 06/28/23 00:25 | 06/28/23 19:41 | 2 |
| Lead | ND | | 0.20 | 0.076 | mg/Kg | | 06/28/23 00:25 | 06/28/23 19:41 | 2 |
| Molybdenum | ND | | 0.20 | 0.092 | mg/Kg | | 06/28/23 00:25 | 06/28/23 19:41 | 2 |
| Nickel | 0.357 | J | 0.40 | 0.16 | mg/Kg | | 06/28/23 00:25 | 06/28/23 19:41 | 2 |
| Selenium | ND | | 0.40 | 0.10 | mg/Kg | | 06/28/23 00:25 | 06/28/23 19:41 | 2 |
| Silver | ND | | 0.10 | 0.041 | mg/Kg | | 06/28/23 00:25 | 06/28/23 19:41 | 2 |
| Thallium | ND | | 0.10 | 0.039 | mg/Kg | | 06/28/23 00:25 | 06/28/23 19:41 | 2 |
| Vanadium | ND | | 0.80 | 0.20 | mg/Kg | | 06/28/23 00:25 | 06/28/23 19:41 | 2 |
| Zinc | ND | | 30 | 4.0 | mg/Kg | | 06/28/23 00:25 | 06/28/23 19:41 | 2 |

Lab Sample ID: LCS 410-391522/2-A ^2

Matrix: Solid

Analysis Batch: 391998

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 391522

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | Limits |
|------------|-------------|------------|---------------|-------|-----|----------|--------|
| Antimony | 10.0 | 10.0 | | mg/Kg | 100 | 80 - 120 | |
| Arsenic | 50.0 | 48.7 | | mg/Kg | 97 | 80 - 120 | |
| Barium | 50.0 | 50.6 | | mg/Kg | 101 | 80 - 120 | |
| Beryllium | 5.00 | 5.12 | | mg/Kg | 102 | 80 - 120 | |
| Cadmium | 5.00 | 4.96 | | mg/Kg | 99 | 80 - 120 | |
| Cobalt | 50.0 | 48.9 | | mg/Kg | 98 | 80 - 120 | |
| Copper | 50.0 | 47.2 | | mg/Kg | 94 | 80 - 120 | |
| Lead | 5.00 | 4.87 | | mg/Kg | 97 | 80 - 120 | |
| Molybdenum | 5.00 | 4.94 | | mg/Kg | 99 | 80 - 120 | |
| Nickel | 50.0 | 48.7 | B | mg/Kg | 97 | 80 - 120 | |
| Selenium | 10.0 | 9.71 | | mg/Kg | 97 | 80 - 120 | |
| Silver | 5.00 | 4.91 | | mg/Kg | 98 | 80 - 120 | |
| Thallium | 10.0 | 9.77 | | mg/Kg | 98 | 80 - 120 | |
| Vanadium | 50.0 | 49.5 | | mg/Kg | 99 | 80 - 120 | |
| Zinc | 50.0 | 48.2 | | mg/Kg | 96 | 80 - 120 | |

QC Sample Results

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 410-392450/1-A ^2

Matrix: Solid

Analysis Batch: 392725

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------------|-----------------|------|------|-------|---|----------------|----------------|---------|
| Chromium | ND | | 0.40 | 0.15 | mg/Kg | | 06/29/23 19:41 | 06/30/23 08:55 | 2 |

Lab Sample ID: LCS 410-392450/2-A ^2

Matrix: Solid

Analysis Batch: 392725

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | Limits |
|----------|----------------|---------------|------------------|-------|---|------|----------|
| Chromium | 50.0 | 49.2 | | mg/Kg | | 98 | 80 - 120 |

Lab Sample ID: MB 410-380799/1-A

Matrix: Solid

Analysis Batch: 382138

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------------|-----------------|-------|--------|------|---|----------------|----------------|---------|
| Antimony | ND | | 0.025 | 0.0050 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |
| Arsenic | ND | | 0.050 | 0.017 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |
| Barium | ND | | 0.050 | 0.019 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |
| Beryllium | ND | | 0.013 | 0.0030 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |
| Cadmium | ND | | 0.013 | 0.0038 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |
| Chromium | ND | | 0.050 | 0.0084 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |
| Cobalt | ND | | 0.013 | 0.0039 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |
| Copper | ND | | 0.025 | 0.0091 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |
| Lead | ND | | 0.013 | 0.0018 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |
| Molybdenum | ND | | 0.013 | 0.0033 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |
| Nickel | ND | | 0.025 | 0.010 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |
| Selenium | ND | | 0.025 | 0.0070 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |
| Silver | ND | | 0.013 | 0.0025 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |
| Thallium | ND | | 0.013 | 0.0033 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |
| Vanadium | ND | | 0.10 | 0.020 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |
| Zinc | ND | | 0.25 | 0.10 | mg/L | | 05/29/23 19:52 | 06/01/23 18:04 | 1 |

Lab Sample ID: LCS 410-380799/2-A

Matrix: Solid

Analysis Batch: 382138

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | Limits |
|------------|----------------|---------------|------------------|------|---|------|----------|
| Antimony | 2.50 | 2.66 | | mg/L | | 107 | 80 - 120 |
| Arsenic | 12.5 | 12.9 | | mg/L | | 103 | 85 - 120 |
| Barium | 12.5 | 13.1 | | mg/L | | 105 | 80 - 120 |
| Beryllium | 1.25 | 1.28 | | mg/L | | 102 | 90 - 112 |
| Cadmium | 1.25 | 1.28 | | mg/L | | 102 | 86 - 113 |
| Chromium | 12.5 | 12.5 | | mg/L | | 100 | 90 - 115 |
| Cobalt | 12.5 | 12.5 | | mg/L | | 100 | 90 - 113 |
| Copper | 12.5 | 12.6 | | mg/L | | 101 | 80 - 120 |
| Lead | 1.25 | 1.29 | | mg/L | | 103 | 90 - 115 |
| Molybdenum | 1.25 | 1.31 | | mg/L | | 104 | 85 - 115 |
| Nickel | 12.5 | 12.4 | | mg/L | | 99 | 90 - 114 |
| Selenium | 2.50 | 2.56 | | mg/L | | 102 | 80 - 120 |
| Silver | 1.25 | 1.25 | | mg/L | | 100 | 88 - 113 |

Eurofins Lancaster Laboratories Environment Testing, LLC

QC Sample Results

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 410-380799/2-A

Matrix: Solid

Analysis Batch: 382138

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 380799

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | Limits |
|----------|-------------|------------|---------------|------|-----|----------|--------|
| Thallium | 2.50 | 2.54 | | mg/L | 102 | 80 - 120 | |
| Vanadium | 12.5 | 12.8 | | mg/L | 102 | 90 - 115 | |
| Zinc | 12.5 | 13.0 | | mg/L | 104 | 90 - 115 | |

Lab Sample ID: 410-126654-1 MS

Matrix: Solid

Analysis Batch: 382138

Client Sample ID: Artificial Grass Product

Prep Type: STLC Citrate

Prep Batch: 380799

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | Limits |
|------------|---------------|------------------|-------------|-----------|--------------|------|-----|----------|--------|
| Antimony | ND | | 2.50 | 2.65 | | mg/L | 106 | 75 - 125 | |
| Arsenic | ND | | 12.5 | 12.8 | | mg/L | 102 | 75 - 125 | |
| Barium | 0.12 | B | 12.5 | 13.3 | | mg/L | 105 | 75 - 125 | |
| Beryllium | ND | | 1.25 | 1.26 | | mg/L | 101 | 75 - 125 | |
| Cadmium | ND | | 1.25 | 1.29 | | mg/L | 103 | 75 - 125 | |
| Chromium | 0.019 | J | 12.5 | 12.5 | | mg/L | 100 | 75 - 125 | |
| Cobalt | 0.024 | B ^2 | 12.5 | 12.5 | | mg/L | 100 | 80 - 125 | |
| Copper | 0.011 | J | 12.5 | 12.5 | | mg/L | 100 | 75 - 125 | |
| Lead | 0.0080 | J | 1.25 | 1.31 | | mg/L | 104 | 75 - 125 | |
| Molybdenum | 0.022 | | 1.25 | 1.32 | | mg/L | 104 | 81 - 125 | |
| Nickel | ND | | 12.5 | 12.2 | | mg/L | 98 | 75 - 125 | |
| Selenium | ND | | 2.50 | 2.56 | | mg/L | 102 | 75 - 125 | |
| Silver | ND | | 1.25 | 1.25 | | mg/L | 100 | 75 - 125 | |
| Thallium | ND | | 2.50 | 2.59 | | mg/L | 103 | 75 - 125 | |
| Vanadium | ND | | 12.5 | 12.8 | | mg/L | 102 | 75 - 125 | |
| Zinc | ND | | 12.5 | 12.8 | | mg/L | 102 | 75 - 125 | |

Lab Sample ID: 410-126654-1 MSD

Matrix: Solid

Analysis Batch: 382138

Client Sample ID: Artificial Grass Product

Prep Type: STLC Citrate

Prep Batch: 380799

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
|------------|---------------|------------------|-------------|------------|---------------|------|-----|----------|--------|-----|-------|
| Antimony | ND | | 2.50 | 2.64 | | mg/L | 106 | 75 - 125 | | 0 | 20 |
| Arsenic | ND | | 12.5 | 12.7 | | mg/L | 102 | 75 - 125 | | 1 | 20 |
| Barium | 0.12 | B | 12.5 | 13.2 | | mg/L | 105 | 75 - 125 | | 1 | 20 |
| Beryllium | ND | | 1.25 | 1.26 | | mg/L | 101 | 75 - 125 | | 0 | 20 |
| Cadmium | ND | | 1.25 | 1.28 | | mg/L | 103 | 75 - 125 | | 1 | 20 |
| Chromium | 0.019 | J | 12.5 | 12.2 | | mg/L | 98 | 75 - 125 | | 2 | 20 |
| Cobalt | 0.024 | B ^2 | 12.5 | 12.3 | | mg/L | 98 | 80 - 125 | | 2 | 20 |
| Copper | 0.011 | J | 12.5 | 12.4 | | mg/L | 99 | 75 - 125 | | 1 | 20 |
| Lead | 0.0080 | J | 1.25 | 1.28 | | mg/L | 101 | 75 - 125 | | 3 | 20 |
| Molybdenum | 0.022 | | 1.25 | 1.33 | | mg/L | 105 | 81 - 125 | | 1 | 20 |
| Nickel | ND | | 12.5 | 12.2 | | mg/L | 97 | 75 - 125 | | 1 | 20 |
| Selenium | ND | | 2.50 | 2.55 | | mg/L | 102 | 75 - 125 | | 0 | 20 |
| Silver | ND | | 1.25 | 1.24 | | mg/L | 99 | 75 - 125 | | 0 | 20 |
| Thallium | ND | | 2.50 | 2.53 | | mg/L | 101 | 75 - 125 | | 2 | 20 |
| Vanadium | ND | | 12.5 | 12.6 | | mg/L | 100 | 75 - 125 | | 2 | 20 |
| Zinc | ND | | 12.5 | 12.6 | | mg/L | 100 | 75 - 125 | | 2 | 20 |

QC Sample Results

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 410-126654-1 DU

Matrix: Solid

Analysis Batch: 382138

Client Sample ID: Artificial Grass Product

Prep Type: STLC Citrate

Prep Batch: 380799

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|------------|---------------|------------------|-----------|--------------|------|---|-----|-----------|
| Antimony | ND | | ND | | mg/L | | NC | 20 |
| Arsenic | ND | | ND | | mg/L | | NC | 20 |
| Barium | 0.12 | B | 0.116 | | mg/L | | 0.2 | 20 |
| Beryllium | ND | | ND | | mg/L | | NC | 20 |
| Cadmium | ND | | ND | | mg/L | | NC | 20 |
| Chromium | 0.019 | J | 0.0214 | J | mg/L | | 12 | 20 |
| Cobalt | 0.024 | B ^2 | 0.0240 | | mg/L | | 1 | 20 |
| Copper | 0.011 | J | 0.0134 | J | mg/L | | 17 | 20 |
| Lead | 0.0080 | J | 0.00808 | J | mg/L | | 0.9 | 20 |
| Molybdenum | 0.022 | | 0.0204 | | mg/L | | 9 | 20 |
| Nickel | ND | | ND | | mg/L | | NC | 20 |
| Selenium | ND | | ND | | mg/L | | NC | 20 |
| Silver | ND | | ND | | mg/L | | NC | 20 |
| Thallium | ND | | ND | | mg/L | | NC | 20 |
| Vanadium | ND | | ND | | mg/L | | NC | 20 |
| Zinc | ND | | ND | | mg/L | | NC | 20 |

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 410-380800/1-A

Matrix: Solid

Analysis Batch: 381532

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 380800

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-----|-----|------|---|----------------|----------------|---------|
| Mercury | ND | | 8.0 | 3.2 | ug/L | | 05/29/23 19:56 | 05/31/23 08:43 | 1 |

Lab Sample ID: LCS 410-380800/2-A

Matrix: Solid

Analysis Batch: 381532

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 380800

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---------|-------------|------------|---------------|------|---|------|-------------|
| Mercury | 40.0 | 38.1 | | ug/L | | 95 | 80 - 118 |

Lab Sample ID: 410-126654-1 MS

Matrix: Solid

Analysis Batch: 381532

Client Sample ID: Artificial Grass Product

Prep Type: STLC Citrate

Prep Batch: 380800

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec Limits |
|---------|---------------|------------------|-------------|-----------|--------------|------|---|------|-------------|
| Mercury | ND | | 40.0 | 36.2 | | ug/L | | 91 | 80 - 120 |

Lab Sample ID: 410-126654-1 MSD

Matrix: Solid

Analysis Batch: 381532

Client Sample ID: Artificial Grass Product

Prep Type: STLC Citrate

Prep Batch: 380800

| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|---------|---------------|------------------|-------------|------------|---------------|------|---|------|-------------|-----|-----------|
| Mercury | ND | | 40.0 | 38.3 | | ug/L | | 96 | 80 - 120 | 5 | 20 |

QC Sample Results

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Method: 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: 410-126654-1 DU

Matrix: Solid

Analysis Batch: 381532

Client Sample ID: Artificial Grass Product

Prep Type: STLC Citrate

Prep Batch: 380800

| Analyte | Sample Result | Sample Qualifier | DU Result | DU Qualifier | Unit | D | RPD | RPD Limit |
|---------|---------------|------------------|-----------|--------------|------|---|-----|-----------|
| Mercury | ND | | ND | | ug/L | | NC | 20 |

Method: 7471B - Mercury (CVAA)

Lab Sample ID: MB 410-391526/1-A

Matrix: Solid

Analysis Batch: 391777

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 391526

| Analyte | MB Result | MB Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|-----------|--------------|-------|-------|-------|---|----------------|----------------|---------|
| Mercury | ND | | 0.036 | 0.012 | mg/Kg | | 06/28/23 00:53 | 06/28/23 12:07 | 1 |

Lab Sample ID: LCS 410-391526/2-A

Matrix: Solid

Analysis Batch: 391777

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 391526

| Analyte | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|---------|-------------|------------|---------------|-------|---|------|-------------|
| Mercury | 0.100 | 0.0955 | | mg/Kg | | 95 | 80 - 120 |

QC Association Summary

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

LCMS

Prep Batch: 377912

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------------|-----------|--------|----------|------------|
| 410-126654-1 | Artificial Grass Product | Total/NA | Solid | CIC Prep | |
| MB 410-377912/1-B | Method Blank | Total/NA | Solid | CIC Prep | |
| LCS 410-377912/2-B | Lab Control Sample | Total/NA | Solid | CIC Prep | |
| LCSD 410-377912/3-B | Lab Control Sample Dup | Total/NA | Solid | CIC Prep | |

Cleanup Batch: 377918

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------------|-----------|--------|-----------------|------------|
| 410-126654-1 | Artificial Grass Product | Total/NA | Solid | Extract Aliquot | 377912 |
| MB 410-377912/1-B | Method Blank | Total/NA | Solid | Extract Aliquot | 377912 |
| LCS 410-377912/2-B | Lab Control Sample | Total/NA | Solid | Extract Aliquot | 377912 |
| LCSD 410-377912/3-B | Lab Control Sample Dup | Total/NA | Solid | Extract Aliquot | 377912 |

Prep Batch: 378269

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------------|-----------|--------|----------|------------|
| 410-126654-1 | Artificial Grass Product | Total/NA | Solid | CIC Prep | |
| MB 410-378269/1-A | Method Blank | Total/NA | Solid | CIC Prep | |
| LCS 410-378269/2-A | Lab Control Sample | Total/NA | Solid | CIC Prep | |
| LCSD 410-378269/3-A | Lab Control Sample Dup | Total/NA | Solid | CIC Prep | |

Analysis Batch: 378466

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------------|-----------|--------|----------|------------|
| 410-126654-1 | Artificial Grass Product | Total/NA | Solid | ELLE SOP | 378269 |
| MB 410-378269/1-A | Method Blank | Total/NA | Solid | ELLE SOP | 378269 |
| LCS 410-378269/2-A | Lab Control Sample | Total/NA | Solid | ELLE SOP | 378269 |
| LCSD 410-378269/3-A | Lab Control Sample Dup | Total/NA | Solid | ELLE SOP | 378269 |

Analysis Batch: 380923

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------------|-----------|--------|----------|------------|
| 410-126654-1 | Artificial Grass Product | Total/NA | Solid | ELLE SOP | 377918 |
| MB 410-377912/1-B | Method Blank | Total/NA | Solid | ELLE SOP | 377918 |
| LCS 410-377912/2-B | Lab Control Sample | Total/NA | Solid | ELLE SOP | 377918 |
| LCSD 410-377912/3-B | Lab Control Sample Dup | Total/NA | Solid | ELLE SOP | 377918 |

Prep Batch: 381955

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------------|-----------|--------|-----------|------------|
| 410-126654-1 | Artificial Grass Product | Total/NA | Solid | 537 (mod) | |
| MB 410-381955/1-B | Method Blank | Total/NA | Solid | 537 (mod) | |
| LCS 410-381955/2-B | Lab Control Sample | Total/NA | Solid | 537 (mod) | |
| 410-126654-1 MS | Artificial Grass Product | Total/NA | Solid | 537 (mod) | |
| 410-126654-1 MSD | Artificial Grass Product | Total/NA | Solid | 537 (mod) | |

Cleanup Batch: 381963

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------------|-----------|--------|-----------------|------------|
| 410-126654-1 | Artificial Grass Product | Total/NA | Solid | Extract Aliquot | 381955 |
| MB 410-381955/1-B | Method Blank | Total/NA | Solid | Extract Aliquot | 381955 |
| LCS 410-381955/2-B | Lab Control Sample | Total/NA | Solid | Extract Aliquot | 381955 |
| 410-126654-1 MS | Artificial Grass Product | Total/NA | Solid | Extract Aliquot | 381955 |
| 410-126654-1 MSD | Artificial Grass Product | Total/NA | Solid | Extract Aliquot | 381955 |

QC Association Summary

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

LCMS

Analysis Batch: 390283

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------------|-----------|--------|---------|------------|
| 410-126654-1 | Artificial Grass Product | Total/NA | Solid | 537 IDA | 381963 |
| MB 410-381955/1-B | Method Blank | Total/NA | Solid | 537 IDA | 381963 |
| LCS 410-381955/2-B | Lab Control Sample | Total/NA | Solid | 537 IDA | 381963 |
| 410-126654-1 MS | Artificial Grass Product | Total/NA | Solid | 537 IDA | 381963 |
| 410-126654-1 MSD | Artificial Grass Product | Total/NA | Solid | 537 IDA | 381963 |

Metals

Leach Batch: 379458

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|--------------------------|--------------|--------|----------------|------------|
| 410-126654-1 | Artificial Grass Product | STLC Citrate | Solid | CA WET Citrate | 9 |
| 410-126654-1 MS | Artificial Grass Product | STLC Citrate | Solid | CA WET Citrate | 10 |
| 410-126654-1 MSD | Artificial Grass Product | STLC Citrate | Solid | CA WET Citrate | 11 |
| 410-126654-1 DU | Artificial Grass Product | STLC Citrate | Solid | CA WET Citrate | |

Prep Batch: 380799

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------------|-------------------|--------|--------|------------|
| 410-126654-1 | Artificial Grass Product | STLC Citrate | Solid | 3005A | 379458 |
| MB 410-380799/1-A | Method Blank | Total Recoverable | Solid | 3005A | 13 |
| LCS 410-380799/2-A | Lab Control Sample | Total Recoverable | Solid | 3005A | |
| 410-126654-1 MS | Artificial Grass Product | STLC Citrate | Solid | 3005A | 14 |
| 410-126654-1 MSD | Artificial Grass Product | STLC Citrate | Solid | 3005A | 379458 |
| 410-126654-1 DU | Artificial Grass Product | STLC Citrate | Solid | 3005A | 379458 |

Prep Batch: 380800

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------------|--------------|--------|--------|------------|
| 410-126654-1 | Artificial Grass Product | STLC Citrate | Solid | 7470A | 379458 |
| MB 410-380800/1-A | Method Blank | Total/NA | Solid | 7470A | |
| LCS 410-380800/2-A | Lab Control Sample | Total/NA | Solid | 7470A | |
| 410-126654-1 MS | Artificial Grass Product | STLC Citrate | Solid | 7470A | 379458 |
| 410-126654-1 MSD | Artificial Grass Product | STLC Citrate | Solid | 7470A | 379458 |
| 410-126654-1 DU | Artificial Grass Product | STLC Citrate | Solid | 7470A | 379458 |

Analysis Batch: 381532

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------------|--------------|--------|--------|------------|
| 410-126654-1 | Artificial Grass Product | STLC Citrate | Solid | 7470A | 380800 |
| MB 410-380800/1-A | Method Blank | Total/NA | Solid | 7470A | 380800 |
| LCS 410-380800/2-A | Lab Control Sample | Total/NA | Solid | 7470A | 380800 |
| 410-126654-1 MS | Artificial Grass Product | STLC Citrate | Solid | 7470A | 380800 |
| 410-126654-1 MSD | Artificial Grass Product | STLC Citrate | Solid | 7470A | 380800 |
| 410-126654-1 DU | Artificial Grass Product | STLC Citrate | Solid | 7470A | 380800 |

Analysis Batch: 382138

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------------|-------------------|--------|--------|------------|
| 410-126654-1 | Artificial Grass Product | STLC Citrate | Solid | 6020B | 380799 |
| MB 410-380799/1-A | Method Blank | Total Recoverable | Solid | 6020B | 380799 |
| LCS 410-380799/2-A | Lab Control Sample | Total Recoverable | Solid | 6020B | 380799 |
| 410-126654-1 MS | Artificial Grass Product | STLC Citrate | Solid | 6020B | 380799 |
| 410-126654-1 MSD | Artificial Grass Product | STLC Citrate | Solid | 6020B | 380799 |
| 410-126654-1 DU | Artificial Grass Product | STLC Citrate | Solid | 6020B | 380799 |

QC Association Summary

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Metals

Prep Batch: 391522

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------------|-----------|--------|--------|------------|
| 410-126654-1 | Artificial Grass Product | Total/NA | Solid | 3050B | |
| MB 410-391522/1-A ^2 | Method Blank | Total/NA | Solid | 3050B | |
| LCS 410-391522/2-A ^2 | Lab Control Sample | Total/NA | Solid | 3050B | |

Prep Batch: 391526

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------------|-----------|--------|--------|------------|
| 410-126654-1 | Artificial Grass Product | Total/NA | Solid | 7471B | |
| MB 410-391526/1-A | Method Blank | Total/NA | Solid | 7471B | |
| LCS 410-391526/2-A | Lab Control Sample | Total/NA | Solid | 7471B | |

Analysis Batch: 391777

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|--------------------------|-----------|--------|--------|------------|
| 410-126654-1 | Artificial Grass Product | Total/NA | Solid | 7471B | |
| MB 410-391526/1-A | Method Blank | Total/NA | Solid | 7471B | |
| LCS 410-391526/2-A | Lab Control Sample | Total/NA | Solid | 7471B | |

Analysis Batch: 391998

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------------|-----------|--------|--------|------------|
| 410-126654-1 | Artificial Grass Product | Total/NA | Solid | 6020B | |
| 410-126654-1 | Artificial Grass Product | Total/NA | Solid | 6020B | |
| MB 410-391522/1-A ^2 | Method Blank | Total/NA | Solid | 6020B | |
| LCS 410-391522/2-A ^2 | Lab Control Sample | Total/NA | Solid | 6020B | |

Prep Batch: 392450

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------------|-----------|--------|--------|------------|
| 410-126654-1 | Artificial Grass Product | Total/NA | Solid | 3050B | |
| MB 410-392450/1-A ^2 | Method Blank | Total/NA | Solid | 3050B | |
| LCS 410-392450/2-A ^2 | Lab Control Sample | Total/NA | Solid | 3050B | |

Analysis Batch: 392725

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-----------------------|--------------------------|-----------|--------|--------|------------|
| 410-126654-1 | Artificial Grass Product | Total/NA | Solid | 6020B | |
| MB 410-392450/1-A ^2 | Method Blank | Total/NA | Solid | 6020B | |
| LCS 410-392450/2-A ^2 | Lab Control Sample | Total/NA | Solid | 6020B | |

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Lab Chronicle

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Client Sample ID: Artificial Grass Product
Date Collected: 05/11/23 00:00
Date Received: 05/15/23 11:20

Lab Sample ID: 410-126654-1
Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Analyst | Lab | Prepared or Analyzed |
|--------------|------------|-----------------|-----|-----------------|--------------|---------|------|--|
| Total/NA | Prep | 537 (mod) | | | 381955 | D5VP | ELLE | 06/01/23 12:24 |
| Total/NA | Cleanup | Extract Aliquot | | | 381963 | D5VP | ELLE | 06/01/23 12:51 |
| Total/NA | Analysis | 537 IDA | | 1 | 390283 | DTA4 | ELLE | 06/24/23 16:37 |
| Total/NA | Prep | CIC Prep | | | 378269 | F9DU | ELLE | 05/21/23 16:54 |
| Total/NA | Analysis | ELLE SOP | | 1 | 378466 | F9DU | ELLE | 05/22/23 06:13 |
| Total/NA | Prep | CIC Prep | | | 377912 | QLP7 | ELLE | 05/19/23 12:53 |
| Total/NA | Cleanup | Extract Aliquot | | | 377918 | QLP7 | ELLE | 05/19/23 12:57 |
| Total/NA | Analysis | ELLE SOP | | 1 | 380923 | F9DU | ELLE | 05/28/23 18:07 |
| STLC Citrate | Leach | CA WET Citrate | | | 379458 | UNWS | ELLE | 05/24/23 10:30 - 05/26/23 08:30 ¹ |
| STLC Citrate | Prep | 3005A | | | 380799 | UAMX | ELLE | 05/29/23 19:52 |
| STLC Citrate | Analysis | 6020B | | 1 | 382138 | UCIG | ELLE | 06/01/23 18:14 |
| Total/NA | Prep | 3050B | | | 391522 | HUH3 | ELLE | 06/28/23 00:25 |
| Total/NA | Analysis | 6020B | | 2 | 391998 | UCIG | ELLE | 06/28/23 20:27 |
| Total/NA | Prep | 3050B | | | 391522 | HUH3 | ELLE | 06/28/23 00:25 |
| Total/NA | Analysis | 6020B | | 10 | 391998 | UCIG | ELLE | 06/28/23 20:29 |
| Total/NA | Prep | 3050B | | | 392450 | UAMX | ELLE | 06/29/23 19:41 |
| Total/NA | Analysis | 6020B | | 2 | 392725 | F7JF | ELLE | 06/30/23 11:00 |
| STLC Citrate | Leach | CA WET Citrate | | | 379458 | UNWS | ELLE | 05/24/23 10:30 - 05/26/23 08:30 ¹ |
| STLC Citrate | Prep | 7470A | | | 380800 | UAMX | ELLE | 05/29/23 19:56 |
| STLC Citrate | Analysis | 7470A | | 1 | 381532 | UEFS | ELLE | 05/31/23 08:47 |
| Total/NA | Prep | 7471B | | | 391526 | HUH3 | ELLE | 06/28/23 00:53 |
| Total/NA | Analysis | 7471B | | 1 | 391777 | UEFS | ELLE | 06/28/23 12:35 |

¹This procedure uses a method stipulated length of time for the process. Both start and end times are displayed.

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300

Accreditation/Certification Summary

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority | Program | Identification Number | Expiration Date |
|-----------------------------------|-----------------------|-----------------------|-----------------|
| A2LA | Dept. of Defense ELAP | 0001.01 | 11-30-24 |
| A2LA | ISO/IEC 17025 | 0001.01 | 11-30-24 |
| Alabama | State | 43200 | 01-31-24 |
| Alaska | State | PA00009 | 06-30-23 |
| Alaska (UST) | State | 17-027 | 02-28-24 |
| Arizona | State | AZ0780 | 03-12-24 |
| Arkansas DEQ | State | 88-00660 | 08-08-23 |
| California | State | 2792 | 09-11-23 |
| Colorado | State | PA00009 | 06-30-23 |
| Connecticut | State | PH-0746 | 06-30-23 |
| DE Haz. Subst. Cleanup Act (HSCA) | State | 019-006 (PA cert) | 01-31-24 |
| Delaware (DW) | State | N/A | 01-31-24 |
| Florida | NELAP | E87997 | 06-30-23 |
| Georgia (DW) | State | C048 | 01-31-24 |
| Hawaii | State | N/A | 01-31-24 |
| Illinois | NELAP | 200027 | 01-31-24 |
| Iowa | State | 361 | 03-01-24 |
| Kansas | NELAP | E-10151 | 10-31-23 |
| Kentucky (DW) | State | KY90088 | 12-31-23 |
| Kentucky (UST) | State | 0001.01 | 11-30-24 |
| Kentucky (WW) | State | KY90088 | 12-31-23 |
| Louisiana (All) | NELAP | 02055 | 06-30-23 |
| Maine | State | 2019012 | 03-12-25 |
| Maryland | State | 100 | 06-30-24 |
| Massachusetts | State | M-PA009 | 06-30-24 |
| Michigan | State | 9930 | 01-31-24 |
| Minnesota | NELAP | 042-999-487 | 12-31-23 |
| Mississippi | State | 023 | 01-31-24 |
| Missouri | State | 450 | 01-31-25 |
| Montana (DW) | State | 0098 | 01-01-24 |
| Nebraska | State | NE-OS-32-17 | 01-31-24 |
| New Hampshire | NELAP | 2730 | 08-01-23 |
| New Jersey | NELAP | PA011 | 06-30-23 |
| New York | NELAP | 10670 | 04-01-24 |
| North Carolina (DW) | State | 42705 | 07-04-23 |
| North Carolina (WW/SW) | State | 521 | 08-21-23 |
| North Dakota | State | R-205 | 01-31-24 |
| Oklahoma | NELAP | 9804 | 08-31-23 |
| Oregon | NELAP | PA200001 | 09-11-23 |
| PALA | Canada | 1978 | 09-16-24 |
| Pennsylvania | NELAP | 36-00037 | 07-06-23 |
| Rhode Island | State | LAO00338 | 12-31-23 |
| South Carolina | State | 89002 | 01-31-24 |
| Tennessee | State | 02838 | 01-31-24 |
| Texas | NELAP | T104704194-23-46 | 08-31-23 |
| USDA | US Federal Programs | 525-22-298-19481 | 10-25-25 |
| Vermont | State | VT - 36037 | 10-27-23 |
| Virginia | NELAP | 460182 | 07-14-23 |
| Washington | State | C457 | 07-17-23 |
| West Virginia (DW) | State | 9906 C | 12-31-23 |

Accreditation/Certification Summary

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

Laboratory: Eurofins Lancaster Laboratories Environment Testing, LLC (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority | Program | Identification Number | Expiration Date |
|-------------------|---------|-----------------------|-----------------|
| West Virginia DEP | State | 055 | 09-06-23 |
| Wyoming | State | 8TMS-L | 01-31-24 |
| Wyoming (UST) | A2LA | 0001.01 | 11-30-24 |

Method Summary

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

| Method | Method Description | Protocol | Laboratory |
|-----------------|--|------------------|------------|
| 537 IDA | EPA 537 Isotope Dilution | EPA | ELLE |
| ELLE SOP | Total or Organic Fluorine by Combustion Ion Chromatography | ELLE - Lancaster | ELLE |
| 6020B | Metals (ICP/MS) | SW846 | ELLE |
| 7470A | Mercury (CVAA) | SW846 | ELLE |
| 7471B | Mercury (CVAA) | SW846 | ELLE |
| 3005A | Preparation, Total Recoverable or Dissolved Metals | SW846 | ELLE |
| 3050B | Preparation, Metals | SW846 | ELLE |
| 537 (mod) | EPA 537 Isotope Dilution | EPA | ELLE |
| 7470A | Preparation, Mercury | SW846 | ELLE |
| 7471B | Preparation, Mercury | SW846 | ELLE |
| CA WET Citrate | California - Waste Extraction Test with Citrate Leach | CA-WET | ELLE |
| CIC Prep | Preparation, Fluorine | ELLE - Lancaster | ELLE |
| Extract Aliquot | Preparation, Extract Aliquot | None | ELLE |

Protocol References:

CA-WET = California Waste Extraction Test, from Title 22

ELLE - Lancaster = Eurofins Lancaster, Facility Standard Operating Procedure.

EPA = US Environmental Protection Agency

None = None

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ELLE = Eurofins Lancaster Laboratories Environment Testing, LLC, 2425 New Holland Pike, Lancaster, PA 17601, TEL (717)656-2300


Sample Summary

Client: Watersavers Turf
Project/Site: Legacy Putt

Job ID: 410-126654-1

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|--------------------------|--------|----------------|----------------|
| 410-126654-1 | Artificial Grass Product | Solid | 05/11/23 00:00 | 05/15/23 11:20 |

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15



410-126654 Chain of Custody

Eurofins Lancaster Laboratories Environment

2425 New Holland Pike
Lancaster, PA 17601
Phone (717) 656-2300

Chain of Custody Record

eurofins | Environment Testing

| | | | | | | | | | |
|---|---|--|---------------|-------------------------------|--|---|--|---------------------------|----------------------------|
| Client Information | | Sampler: | Lab PM: | Carrier Tracking No(s): | | COC No: | | | |
| | | | Brown, Nicole | | | 410-8854-24710.1 | | | |
| Client Contact: | Phone: | E-Mail: | | | State of Origin: | Page: | | | |
| Leon Chen | | Nicole.Brown@et.eurofinsus.com | | | Nanjing, China | Page 1 of 1 | | | |
| Company: | PVSID: | Analysis Requested | | | | Job #: | | | |
| CCGrass | | | | | | | | | |
| Address: | Due Date Requested: | | | | | Preservation Codes: | | | |
| Floor 19 Dadi Building no. 56 Huaqiao Road | | | | | | A - HCl M - Hexane | | | |
| City: | TAT Requested (days): | | | | | B - NaOH N - None | | | |
| Nanjing 210029 | | | | | | C - Zn Acetate O - AgNO3C2 | | | |
| State, Zip: | | | | | | D - Nitro Acid P - NB2O4S | | | |
| CN: | | | | | | E - NaHSO3 Q - Na2SO3 | | | |
| Phone: | Compliance Project: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | | | | | F - MeOH R - HgCl2-203 | | | |
| 861667-6565(Tel) | | | | | | G - Amchlor S - H2SO4 | | | |
| Email: | PO #: | | | | | H - Acrylic Acid T - TSP Dodecahydrate | | | |
| leon_chen@ccgrass.com | Prepayment via Credit card | | | | | I - Ica U - Acetone | | | |
| Project Name: | | | | | | J - DI Water V - MCAA | | | |
| Turf Yarn Testing | | | | | | K - EDTA W - pH 4-5 | | | |
| Site: | Project #: | | | | | L - EDA Y - Trizma | | | |
| | 41015216 | | | | | Z - other (specify): | | | |
| | SSOW#: | | | | | Other: | | | |
| Sample Identification | | Sample Date: | Sample Time: | Sample Type (C=Comp, G=grab): | Matrix (W=water, S=solid, C=coated, B=therm, A=air): | Field Filtered Sample (Yes or No): | Perform Method(s) (Name & No): | Total Number of Detectors | Special Instructions/Note: |
| Artificial Grass Yarn | | 20230511 | | Solid | X | X X X X X | 6020B, 7471B Total Metals Title 22 List 6020B, 7470A - STLC GAI Leached Metals Title 22 List CIC_Fluorine Extractable Organic Fluorine (EOF) CIC_Fluorine Total Fluorine (TF) PFCA/IDA List of 31 PFAS Compounds | | |
| Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Deliverable Requested: I, II, III, IV, Other (specify) _____ Special Instructions/QC Requirements: _____ | | | | | | | | | |
| Empty Kit Relinquished by: | | Date: | Time: | Method of Shipment: | | | | | |
| Relinquished by: | Date/Time: | Company: | Received by: | Date/Time: | Company: | | | | |
| Relinquished by: | Date/Time: | Company: | Received by: | Date/Time: | Company: | | | | |
| Relinquished by: | Date/Time: | Company: | Received by: | Date/Time: | Company: | | | | |
| Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | Custody Seal No.: | Colder Temperature(s) °C and Other Remarks: 5-15-25 11:20 ELLE | | | | | | | |

Ver 01/16/2019

HC

Login Sample Receipt Checklist

Client: Cash in Advance (Lancaster)

Job Number: 410-126654-1

Login Number: 126654

List Source: Eurofins Lancaster Laboratories Environment Testing, LLC

List Number: 1

Creator: Arroyo, Haley

Question

Answer

Comment

| | | |
|--|-------|--|
| The cooler's custody seal is intact. | N/A | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | False | Thermal preservation not required. |
| Cooler Temperature is acceptable (</=6C, not frozen). | N/A | |
| Cooler Temperature is recorded. | N/A | |
| WV: Container Temperature is acceptable (</=6C, not frozen). | N/A | |
| WV: Container Temperature is recorded. | N/A | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| There is sufficient vol. for all requested analyses. | True | |
| Is the Field Sampler's name present on COC? | N/A | Non-environmental matrix, sampler is not applicable. |
| Sample custody seals are intact. | N/A | |
| VOA sample vials do not have headspace >6mm in diameter (none, if from WV)? | N/A | |